

# Safety Data Sheet

Date issued: November 1, 2017

Page 1 of 9

## SECTION 1. GHS PRODUCT IDENTIFIER

**1.1. Name of the Product:** Fiebing's 4 Way Care

Chemical family: Mixture of substances

**1.2. Other means of identification:**

**1.3. Recommended use of the product and restrictions on use:** Conditioning Lotion for leather finishing.

**1.4. Details of the supplier of the safety data sheet**

Manufacturer: Fiebing Company, Inc.

516 South Second Street

Milwaukee WI - 53204

Emergency contact: CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Classification / risks

According to classification criteria of GHS Part 2 for Flammable Liquids: **Not Classified**

According to classification criteria of GHS Part 3 for Acute Toxicity: **Not Classified**

According to GHS Classification criteria 3.2.3.3 for skin irritation: **Not classified**

**Based on GHS 3.3.2.9 criteria: Category 2B Eye irritant (Mildly irritating to eyes).**

Based on GHS definitions 3.10.1.6.4 for Aspiration Hazard: **Not Classified**

Based on generic cut-off values of GHS 1.5.3.1 for carcinogenicity: **Not Classified**

### 2.2. Label elements

Pictogram: None

Signal word: WARNING

Hazard Code: H 320 - Eye Irritation 2B

Hazard statements: Causes Mild Eye Irritation

Precaution: P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

Prevention: P280: Wear protective gloves / eye protection

Response: P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P264: Wash with soap and water thoroughly after handling. Use plenty Of water.

Storage: P405 Keep store locked up

Disposal: P501 Dispose of contents and containers in accordance with all local, Regional, national and international regulations.

Additional Hazards: Not applicable.

**SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS****3.1. Substances**

Ingredient	CAS#	EINECS#	REACH Registration Number	Class	Wt%
Mixture of hydrocarbons, severely hydrotreated light Naphthenic/heavy paraffinic	64742-53-6 / 64742-54-7	265-156-6/ 265-157-1	Not available	Not classified	1 - 2
Sulfonated animal oil	68153-10-6		None listed	Substance not listed in Annex VI-Table 3.1 of 1272-2008 (CLP)	2 - 4
Sulfonated synthetic oil	68130-43-8		None listed	Substance not listed in Annex VI-Table 3.1 of 1272-2008 (CLP)	2 ó 4
Sulfonic acids, petroleum, sodium salt	68608-26-4	271-781-5	01-211952785 9-22-0003	Eye irritant 2A H 319	1 ó 2
Deionized Water	7732-18-5	231-791-2	Not applicable	Not applicable	88 - 94

**SECTION 4. FIRST AID MEASURES****4.1. Description of first aid measures**

**Inhalation:** Remove the victim (move/carry) from the exposure area to fresh air and keep warm and quiet. Place an unconscious person in the recovery position, loosen tight parts of clothes; control and maintain patency of the airways. Give oxygen in the case of breathing disorders; if not breathing, use artificial ventilation. In the case of loss of consciousness, respiratory disorders or persisting symptoms obtain medical aid immediately.

**Skin contact:** Immediately remove contaminated/soaked clothes and shoes. Thoroughly wash contaminated skin with soapy water or mild detergent, and then rinse with water. Consult a doctor if irritation symptoms appear and persist.

NOTE: Take off contaminated/soaked clothes and remove it to a safe place, far from heat and ignition sources.

**Eye contact:** Flush the contaminated eyes with running water, remove contact lenses (if worn) and continue flushing for approx. 15 minutes. When flushing, keep the eyelids wide open and move the eyeball. Consult a doctor if symptoms appear and persist.

NOTE: Do not use a stream of water which is too strong, it may damage the cornea.

**Swallowing:** Obtain medical aid immediately. DO NOT INDUCE VOMITING – INCREASED ASPIRATION RISK. In the case when spontaneous vomiting occurs, keep the victim leaning forward, with her/his face directed to the ground. If the victim is conscious, let her/him drink approx. 200 ml of liquid paraffin. Do not give milk, fat or alcohol.

**4.2. Most important symptoms and effects, both acute and delayed:** Not determined.

**4.3. Indication of any immediate medical attention and special treatment needed:** Do not induce vomiting and do not administer anything orally to an unconscious person. Show the material safety data sheet or the label/container to the medical staff. A person providing first aid in the area where vapor/fog concentration is unknown should be equipped with the appropriate respiratory protection.

Indications for a doctor: symptomatic treatment.

**SECTION 5. PROCEEDING IN CASE OF FIRE**

**5.1. Extinguishing media**

**Suitable extinguishing media:** carbon dioxide, dry powder, foam; water spray or water fog.

**Unsuitable extinguishing media:** water jet.

**5.2. Special hazards arising from the substance or mixture**

In the fire environment smokes containing carbon oxides and other unidentified thermal decomposition products of higher hydrocarbons are formed. Avoid breathing products being released in the fire environment - they may be hazardous for health.

**5.3. Advice for firefighters**

Proceed in accordance with procedures applicable for extinguishing chemical fire. In the case of fire involving great amounts of the product, remove all bystanders not participating in action; call emergency brigades and the Fire Brigade. Cool the containers exposed to fire or high temperature with water spray from a safe distance, if possible and remove them from the endangered area. Prevent the wastewater after fire extinguishing from penetrating sewage and water tanks. Remove wastewater and residue after firefighting in accordance with valid regulations. People participating in the fire-extinguishing action should be properly trained, equipped with a full protective clothing and a self-containing breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Use individual protection measures – see section 8 of the Safety Data Sheet. Limit the access of bystanders to the endangered area until proper cleaning operations are finished. In the case of great leakage isolate the endangered area. Ensure that breakdown and its results are eliminated by a properly trained staff only. Avoid contact with the eyes, skin and clothes. Do not inhale vapors or mist. If release occurred in closed area, ensure adequate ventilation.

NOTE: Spilled oils can make surfaces slippery. Remove ignition sources, extinguish open fire, do not smoke.

**6.2. Environmental precautions**

If it is possible and safe, stop or limit product release. Limit spreading of the great leakages by embanking the area. Prevent the product from penetrating drains, waters or soil. Notify respective authorities (occupational safety and hygiene, emergency brigades, environmental brigades and organs of administration).

**6.3. Methods and material for containment and cleaning up**

Cover up small spillage with non-flammable, neutral absorbent material (sand, soil, diatomic earth, vermiculite) and collect in an appropriate, closed, labelled waste bin. Clean the contaminated area with water with detergent, and then rinse with water. Pump off large amounts of liquid. Dispose of according to the applicable regulations. If necessary, obtain help from specialist companies dealing with waste transport and utilization in order to remove the product/absorbent material contaminated with the product.

**6.4. Reference to other sections:** See also sections 8 and 13 of the Safety Data Sheet.

**SECTION 7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

**Intoxication prevention:** Prevent formation of vapor/fog concentration exceeding the acceptable occupational exposure limits. Provide effective ventilation. Avoid contact with the eyes, skin and clothes. Avoid vapor and fog inhalation. Keep unused containers tightly closed.

Essential hygiene rules should be observed: do not eat, drink or smoke during work, wash hands with soapy water after work/after break in work. Do not use contaminated clothing; immediately remove contaminated clothing and wash before reuse. NOTE: Take off contaminated/soaked clothes and remove it to a safe place, far from heat and ignition sources. Use individual protection measures in accordance with the information contained in section 8 of the Safety Data sheet.

**Fire and explosion prevention:** Do not use open fire, do not smoke, eliminate other ignition sources.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly sealed and properly labelled containers, in a cool, well ventilated place with a non-absorbing ground. The product may be stored in storage tanks in accordance with applicable regulations. Store far from heat sources, protect from direct sunlight. Protect against contamination and water accumulation. Keep away from strong oxidizers.

**7.3. Specific end use(s):** None.

**SECTION 8. EXPOSURE CONTROL AND PERSONAL PROTECTION EQUIPMENT**

**8.1. Control parameters**

**USA:**

Ingredient	OSHA-PEL	ACGIH-TLV		NIOSH-REL		
		TWA	STEL	TWA	STEL	TWA
Hydro-treated light Naphthenic distillate	5 mg/m <sup>3</sup> (oil mist)	None estab	5 mg/m <sup>3</sup> (oil mist)	10 mg/m <sup>3</sup> (oil mist)	None estab	None estab
Hydro-treated heavy Paraffinic distillate	5 mg/m <sup>3</sup> (oil mist)	None estab	5 mg/m <sup>3</sup> (oil mist)	10 mg/m <sup>3</sup> (oil mist)	None estab	None estab
Sulphated natural oils, sodium salt	None estab	None estab	None estab	None estab	None estab	None estab
Sulfonic acids, petroleum, sodium salt		10 mg/m <sup>3</sup> as mineral oil mist	5 mg/m <sup>3</sup> as mineral oil mist	None estab	None estab	None estab

**EUROPE:**

Workplace Exposure Limits (WELs) / Occupational Exposure Limits(OELs): None established

**INTERNATIONAL:**

For Hydro-treated light Naphthenic / heavy Paraffinic distillate:

GETIS International Limit values: 8Hr Limit:5 mg/m<sup>3</sup>; STL:10 mg/m<sup>3</sup> (UK,ES,CA,,US)

Directive of the Minister of Work and Social Policy dated November 29th, 2002 on the maximum occupational levels of factors hazardous to health at the workplace (Dz.U. No.217, item 1833; of 2005 Dz.U. No.212, item 1769, of 2007 Dz.U. No.161, item 1142; of 2009 Dz.U.

No.105, item 873; of 2010 Dz.U. No.141, item 950)

DNEL<sub>worker</sub> (inhalation, chronic toxicity) 5.4 mg/m<sup>3</sup>/8h (aerosol)

DNEL<sub>consumer</sub> (inhalation, chronic toxicity) 1.2 mg/m<sup>3</sup>/24h (aerosol)

PNEC<sub>water, sediment, soil, wastewater treatment plant</sub> Not applicable (the substance does not pose any hazard for the environment)

PNEC (oral, mammals) 9.33 mg/kg of food

**8.2. Exposure controls**

**Appropriate engineering controls:**

General ventilation and/or local fume hood in order to maintain hazardous agent concentration in air below acceptable limits. Local fume hood is preferred, since it enables emission control at source and prevents spreading throughout the working area.

**Eye or face protection:**

Tight safety eyeglasses (goggles) in the case of prolonged exposure or the risk of liquid splashing to the eye. It is recommended to equip the workplace with a water shower to flush eyes.

**Skin protection:**

Wear impermeable, oil resistant gloves (e.g. perbutane, viton, butyl rubber). Glove material should be selected with consideration to the breakthrough time, permeability rate and degradation. It is recommended to change gloves regularly and replace them immediately if any signs of wear or damage (tearing, puncture) or changes in appearance (color, flexibility, shape) occur. Wear protective apron or protective suit made of coated, oil-resistant, anti-slippery shoes.

**Respiratory protection:**

Not required under normal conditions of use. In the case of exceeding the acceptable limits or inadequate ventilation use the approved respirator equipped with a suitable filter or filter-absorber. For activities in the circumstances, in which the mask does not provide adequate protection, use self-contained breathing apparatus.

**Thermal hazards:**

Not applicable

**Environmental exposure controls:**

Consider using precautionary measures in order to protect the area around storage tanks.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

- a) Appearance: White liquid
- b) Odor: Characteristic
- c) Odor threshold: No data available
- d) pH: 6.5 – 8.0
- e) Melting/solidification temperature range: Not applicable
- f) Boiling temperature range: 100 °C
- g) Flash point : >92°C
- h) Evaporation rate: No data available
- i) Flammability (solid, gas): Not Flammable
- j) Upper/lower flammability limit or upper/lower explosion limit: Not applicable
- k) Vapor pressure: < 0.09 mm/Hg
- l) Vapor density: No data available
- m) Specific gravity: 0.99 – 1.00 g/cm<sup>3</sup> at 15°C
- n) Solubility: Dispersible in water
- o) Distribution coefficient n-octanol/ water: No data available
- p) Self-ignition point: > 200 Deg.C
- q) Decomposition temperature: No data available
- r) Viscosity: No data available
- s) Explosive properties: Not applicable
- t) Oxidizing properties: Not applicable

**9.2. Other information**

Surface tension: Not applicable

Total VOC: None

**SECTION 10. STABILITY AND REACTIVITY****10.1. Reactivity**

The substance is not reactive.

**10.2. Chemical stability**

The substance is stable under normal ambient conditions, as well as under the expected temperature and under the expected pressure at storage and at handling.

**10.3. Possibility of hazardous reactions**

None known.

**10.4. Conditions to avoid:**

High temperature, open flame and other ignition sources.

**10.5. Incompatible materials**

Strong oxidizers

**10.6. Hazardous decomposition products**

None known. Hazardous combustion products – see section 5 of the Safety Data Sheet.

**SECTION 11. TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute toxicity of 64742-53-6 / 64742-54-7:**

Ingredient	LD 50	LC 50
Hydro-treated light Naphthenic / heavy Paraffinic distillate	> 5000 mg/kg (oral, rat) > 5000 mg/kg (skin, rabbit)	> 5.53 mg/l (inhalation, rat) oil mist
Sulphated natural & synthetic oils	No data	No data
Sulfonic acids, petroleum, sodium salt	>5000 mg/kg (rat)	No data

**Skin corrosion/irritation:**

Classification criteria have not been met based on the available data. Causes skin cracking and desquamation resulting from drying and degreasing, irritation or inflammation possible at prolonged or frequent contact.

**Serious eye damage/irritation:**

Classification criteria have not been met based on the available data. High concentrations of vapors/mist or liquid splashing to the eye may cause irritation of eye mucosa (burning, tearing and redness) or transient eye irritation.

**Respiratory or skin sensitization:**

Classification criteria have not been met based on the available data.

**Germ cell mutagenicity:**

Classification criteria have not been met based on the available data.

**Carcinogenicity:** Classification criteria have not been met based on the available data. Based on L Note the substance is not classified as carcinogenic (DMSO extract content (according to IP 346) < 3%).

**Reproductive toxicity:**

Classification criteria have not been met based on the available data.

**STOT – single exposure:**

Classification criteria have not been met based on the available data.

Accidental ingestion may cause gastric disturbances (nausea, vomiting, stomach pain); irritation of the gastrointestinal tract. High concentrations of vapors/mist may cause moderate irritation of the respiratory tract mucosa (sore throat, cough), headache, dizziness and nausea; at prolonged exposure breathing disturbances, central nervous system disorders, disturbances in the coordination of movements, disorientation, drowsiness, loss of consciousness.

**STOT – repeated exposure:**

Classification criteria have not been met based on the available data. Repetitive or prolonged exposure may cause drying, cracking or chronic inflammation of the skin. Prolonged exposure to vapours may cause neurotoxic disorders.

**SECTION 12. ECOLOGICAL INFORMATION****12.1. Toxicity:**

*Data on mixture of hydrocarbons, severely hydro-treated light Naphthenic/heavy paraffinic:*

**Aquatic environment:**

EC50: >10,000 mg/l – acute toxicity test on fresh-water invertebrates; *Daphnia magna*, 48h

NOEL: 100 mg/l – chronic toxicity test on invertebrates; *Daphnia magna*, 21 days

EC50: >100 mg/l – acute toxicity test on fresh-water algae; *Pseudokirchinella subcapitata*, 72h

LC50: >100 mg/l – acute toxicity test on fresh-water fish; *Pimephales promelas*, 96h

NOEL: >1,000 mg/l – chronic toxicity test on fresh-water fish; *Oncorhynchus mykiss*, QSAR, 28 days

Data on sulphated natural & synthetic oils: Closest product tested on sulfo-rapseed oil:

UBA method proposal of 01.06.1982 "lethal effect in zebrafish *Brachidanio rerio*" (LC 0, LC 50, LC 100, 48 - 96 hours) ISO 7346 II, had an LCO = 147 mg/ L active ingredient and has a low toxicity to fish.

Data on Sulfonic acids, petroleum, sodium salt:

Fish *Shiphed minnow*: 96 H LL 50 >10000 mg/L nominal WAF

#### **Sediment:**

Toxicity test on sediment microorganisms: none (test scientifically unjustifiable)

#### **Land environment:**

Toxicity test on invertebrates: none (test scientifically unjustifiable)

Toxicity test on plants: none (test scientifically unjustifiable)

Toxicity test on birds: none (test scientifically unjustifiable)

### **12.2. Persistence and degradability**

**Biotic:** sludge simulation test: not applicable – UVCB substance

**Abiotic:** Hydrolysis as pH function: does not occur. Photolysis/ Phototransformation: does not occur.

### **12.3. Bioaccumulative potential**

not applicable – UVCB substance

### **12.4. Mobility in soil**

Adsorption/desorption test – not applicable – UVCB substance

### **12.5. Results of PBT and vPvB assessment**

According to Annex XIII, the substance does not meet PBT or vPvB criteria.

### **12.6. Other adverse effects**

Product of very low volatility. Hydrocarbons of which this product is composed have low tendency or no tendency to penetrate to the atmosphere. The product is practically insoluble in water and lighter than water. The product accumulates on the surface of water, forming a film that hinders oxygen exchange. Hydrocarbons of higher molecular mass may be sedimented in water. The product is limitedly dispersed in soil; it may penetrate into soil and contaminate surface waters.

## **SECTION 13. HANDLING OF WASTES**

### **13.1. Waste treatment methods**

Waste code: **13 08 99\* Oil wastes not otherwise specified.** Wastes not otherwise specified.

NOTE: Since waste code is assigned based on the source of origin, the end user should define the obtained wastes and assign a proper code, taking into consideration specific conditions of use, in accordance with applicable regulations. Soaked clothes, papers or other organic materials should be collected and utilized in a controlled way. Do not dispose to sewer. Avoid contamination of surface and ground waters. Consider reuse. Waste product should be recovered or utilized at professional, approved furnaces or waste recycling/neutralization facilities, in accordance with applicable regulations. Recovery / recycling / utilization of package wastes should be performed according to the applicable regulations.

NOTE: Only completely emptied and cleaned packages may be returned for recycling. Use services of authorized companies.

## **SECTION 14. TRANSPORT INFORMATION**

The substance is not a subject to transport regulations on hazardous goods included in ADR (road transport), **RID** (rail transport), **IMDG** (marine transport) and **ICAO/IATA** (air transport).

**US DOT:** Not regulated

**14.1. UN number** Not applicable

**14.2. UN Proper shipping name** Not applicable

**14.3. Transport hazard class(es)** Not applicable

**14.4. Packing group** Not applicable

**14.5. Environmental hazards** Not applicable

**14.6. Special precautions for users** Not applicable

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet classification and labeling have been determined according to Regulations: (EC) No. 1907/2006(REACH), 1272/2008(CLP) and OSHA final rule 77 Fed.Reg.17574.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by Controlled Products Regulations.

TSCA (USA): In compliance

SARA Title III (USA)

Section 302: None listed

Section 304: None listed

Section 313: Contains no "toxic" chemicals subject to the requirements of Section 313 Title III and 40 CFR Part 372.

CARB VOC compliance (USA): Compliant to the 15% VOC rule for liquids and creams.

Global Inventories(DSL): Listed

NFPA (USA): Health: 1 (Slight)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

## SECTION 16. OTHER INFORMATION

**Date of preparation:** November 21, 2014

**Version:** 1.0

**Revision date:** November 1, 2017

**Revised changes:** None

<b>Classification</b>	<b>Classification procedure</b>
Eye irritant 2B	GHS classification criteria

### Relevant H and P phrases:

H320 Causes Mild eye irritation

P101 If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P280: Wear protective gloves / eye protection

P305 IF IN EYES:

P351 Rinse cautiously with water for several minutes.

P264: Wash with soap and water thoroughly after handling. Use plenty of water.

P338 Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Keep store locked up



**Abbreviations and acronyms in the Safety Data Sheet**

TLV-TWA Threshold Limit Value

TLV-STEL Threshold Limit Value, Short Term Exposure Limit

TLV-C Ceiling exposure limit

vPvB very Persistent, very Bioaccumulative (substance)

PBT Persistent, bioaccumulative, and toxic (substance)

PNEC Predicted No Effect Concentration

DN(M)EL Derived No Effect Level

LD<sub>50</sub> Dose that will kill 50% of the test animals

LC<sub>50</sub> Concentration that will kill 50% of the test animals

EC<sub>x</sub> Concentration at which x% inhibition of growth or growth rate is observed

LOEC Lowest Observed Effect Concentration

NOEL No Observed Effect Concentration

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

ADR Agreement on Dangerous Goods by Road

IMDG International Maritime Transport of Dangerous Goods

IATA International Air Transport Association

**References:**

Legal regulations quoted in sections 2 – 15 of the Safety Data Sheet.

Chemical safety assessment report for the substance.

**The list of applicable R-phrases, hazard statements, S-phrases or precautionary statements not specified in whole in sections 2-15 of the Safety Data Sheet.**

None.

**Advice on training for employees:**

Employees who use the product should be trained on risks for health, hygiene, use of individual protection, accident preventive actions, rescue actions, etc.

**This MSDS is not a quality certificate for the product. All data presented in this sheet are to be taken only as a help in safe handling in transport, distribution, use and storage. Persons handling the product should be informed about risks and precautionary measures. Information in the Safety Data Sheet relates to the above mentioned product and its specified uses only. They may be obsolete or insufficient for this product used in conjunction with other materials or in different applications than those specified in the Safety Data Sheet. The user is obliged to follow all applicable standards and regulations and is also responsible for inappropriate use of information contained in this sheet or for an inappropriate use of the product. In the case of special applications evaluate exposure and develop the appropriate procedure and training programs in order to ensure safety at work.**