

Safety Data Sheet  
DIAMOND EDGE TOP COAT MATTE

Safety Data Sheet dated 16/1/2020, edition 3, version 1

---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

---

### 1.1. Product identifier

Mixture identification:

Trade name:

2881-17 DIAMOND EDGE TOP COAT MATTE - 100 ML

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Mixtures/Substance for the industrial and/or professional finishing for leather and shoes.

Uses advised against:

Stick to the recommended use.

### 1.3. Details of the supplier of the safety data sheet

Supplier:

FENICE S.p.A. - V. del Lavoro,1 - 36078 Valdagno (VI) Italy

FENICE S.p.A. - Tel. +39.0445.424.888

Competent person responsible for the safety data sheet:

ufficio.sicurezza@fenice.com

### 1.4. Emergency telephone number

FENICE S.p.A. - Tel. +39.0445.424.888 (8:00-12:00; 14:00-17:30)

---

## SECTION 2: Hazards identification

---

### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

### 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains chlorocresol. May produce an allergic reaction.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH208 Contains reaction mass of isothiazolinones. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards.


















### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not available

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification (The higher extreme values, if indicated, are to be considered excluded):

Qty	Name	Ident. Number	Classification
>= 1% - < 2.5%	(2-methoxymethylethoxy)propanol	CAS: 34590-94-8 EC: 252-104-2 REACH No.: 01-2119450011-60	Substance with a Union workplace exposure limit.
>= 0.1% - < 0.25%	chlorocresol	Index number: 604-014-00-3 CAS: 59-50-7 EC: 200-431-6 REACH No.: 01-2119938953-25	 3.3/1 Eye Dam. 1 H318  3.4.2/1 Skin Sens. 1 H317  4.1/A1 Aquatic Acute 1 H400 M=1.  3.1/4/Oral Acute Tox. 4 H302  3.1/4/Dermal Acute Tox. 4 H312
>= 0.01% - < 0.05%	1,2-benzisothiazol-3(2H)-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9	 3.2/2 Skin Irrit. 2 H315  3.3/1 Eye Dam. 1 H318  3.4.2/1 Skin Sens. 1 H317  4.1/A1 Aquatic Acute 1 H400  3.1/4/Oral Acute Tox. 4 H302 Specific Concentration Limits: C >= 0,05%: Skin Sens. 1 H317
7 ppm	reaction mass of isothiazolinones	Index number: 613-167-00-5 CAS: 55965-84-9 EC: 911-418-6	 3.2/1B Skin Corr. 1B H314  3.4.2/1 Skin Sens. 1 H317  4.1/A1 Aquatic Acute 1 H400 M=10.  4.1/C1 Aquatic Chronic 1 H410 M=1.  3.1/3/Oral Acute Tox. 3 H301  3.1/3/Dermal Acute Tox. 3 H311  3.1/3/Inhal Acute Tox. 3 H331 Specific Concentration Limits: C >= 0,0015%: Skin Sens. 1 H317 0,06% <= C < 0.6%: Skin Irrit. 2 H315 0,06% <= C < 0.6%: Eye Irrit. 2 H319 C >= 0,6%: Skin Corr. 1B H314

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Wash the affected parts with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

In case of respiratory problems, medical care is needed.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

---

## SECTION 5: Firefighting measures

---

5.1. Extinguishing media

Suitable extinguishing media:

CO<sub>2</sub>, foam, dry extinguishers, nebulised water.

Extinguishing media which must not be used for safety reasons:

Do not use jets of water as it can cause the spread of fire.

Water can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

IN THE EVENT OF FIRE

Do not inhale combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

EQUIPMENT

Fire fighting clothing i. e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure air breathing apparatus (BN EN 137).

---

## SECTION 6: Accidental release measures

---

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: inert absorbing material.

6.3. Methods and material for containment and cleaning up

Stop the leak or spill and use inert absorbent material to surround the contaminated area. Collect and dispose in line with current laws and norms. Do not pour into drains.

6.4. Reference to other sections

See also section 8 and 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
 Avoid contemporary handling of any incompatible materials (see section 10).  
 Don't use empty container before they have been cleaned.  
 See also section 8 for recommended protective equipment.  
 Advice on general occupational hygiene:  
 Do not eat or drink while working. Do not smoke.  
 Wash hands after use

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place at a temperature between +5/40°C.  
 Keep away from food, drink and feed.  
 Incompatible materials:  
 None in particular.  
 Instructions as regards storage premises:  
 Adequately ventilated premises.

### 7.3. Specific end use(s)

None in particular, except those listed in paragraph 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Source: GESTIS International Limit Values Database

(2-methoxymethylethoxy)propanol - CAS: 34590-94-8

TLV-ACGIH - TWA: 606 mg/m<sup>3</sup>, 100 ppm - STEL: 909 mg/m<sup>3</sup>, 150 ppm

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

EU - TWA(8h): 308 mg/m<sup>3</sup>, 50 ppm - Notes: Skin

Deutschland (AGS) - TWA: 310 mg/m<sup>3</sup>, 50 ppm - STEL(): 310 mg/m<sup>3</sup>, 50 ppm - Notes: Inhalable aerosol and vapour

Deutschland (DFG) - TWA: 310 mg/m<sup>3</sup>, 50 ppm - STEL(): 310 mg/m<sup>3</sup>, 50 ppm - Notes: Inhalable aerosol and vapour

España - TWA: 308 mg/m<sup>3</sup>, 50 ppm

France - TWA: 308 mg/m<sup>3</sup>, 50 ppm - Behaviour: Binding

Italia - TWA: 308 mg/m<sup>3</sup>, 50 ppm

Nederland - TWA: 300 mg/m<sup>3</sup>

Österreich - TWA: 307 mg/m<sup>3</sup>, 50 ppm - STEL: 614 mg/m<sup>3</sup>, 100 ppm - Notes: TWA = MAK Langzeitwert STEL = Kurzzeitwert

Polska - TWA: 240 mg/m<sup>3</sup> - STEL: 280 mg/m<sup>3</sup>

România - TWA: 308 mg/m<sup>3</sup>, 50 ppm

Sverige - TWA: 300 mg/m<sup>3</sup>, 50 ppm - STEL(): 450 mg/m<sup>3</sup>, 75 ppm

Türkiye - TWA: 308 mg/m<sup>3</sup>, 50 ppm

United Kingdom - TWA: 308 mg/m<sup>3</sup>, 50 ppm

People's Republic of China - TWA: 600 mg/m<sup>3</sup> - STEL: 900 mg/m<sup>3</sup> - Notes: skin

Legal base:

TLV-ACGIH: ACGIH 2014 and updates

UE European Union: Directive 2000/39/CE\*\*

Deutschland (AGS): Technische Regeln für Gefahrstoffe, Arbeitsplatzgrenzwerte, TRGS 900\*\*

Deutschland (DFG): MAK-und BAT-Werte-Liste 2012\*\*

España: INSHT Limites de exposición profesional para agentes químicos en España 2015\*\*

France: Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984. INRS (2006)\*\*

Italia: Decreto Ministeriale 26/02/2004\*\*

Nederland: Nationale wettelijke publieke grenswaarden\*\*

Österreich: Grenzwerteverordnung 2003 - GVK 2003\*\*

România: HOTARÂRE Nr. 1218 din 6 septembrie 2006 and Complement from 2012 at [www.mmuncii.ro](http://www.mmuncii.ro)\*\*  
 Sverige: Occupational Exposure Limit Values, Statute Book of the Swedish Work Environment Authority, AFS 2011:18, English Translation\*\*  
 United Kingdom: EH40/2005 Workplace exposure limits\*\*

\*\*and updates

#### DNEL Exposure Limit Values

(2-methoxymethylethoxy)propanol - CAS: 34590-94-8

Consumer: 36 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m - Consumer: 37.2 mg/m - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 283 mg/kg - Consumer: 121 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

Worker Industry: 6.81 mg/m - Consumer: 1.2 mg/m - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 0.966 mg/kg - Consumer: 0.345 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

reaction mass of isothiazolinones - CAS: 55965-84-9

Worker Industry: 0.02 mg/m - Consumer: 0.02 mg/m - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 0.04 mg/m - Consumer: 0.04 mg/m - Exposure: Human Inhalation - Frequency: Short Term (acute)

Consumer: 0.09 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 0.11 mg/kg - Exposure: Human Oral - Frequency: Short Term (acute)

#### PNEC Exposure Limit Values

(2-methoxymethylethoxy)propanol - CAS: 34590-94-8

Target: Fresh Water - Value: 19 mg/l

Target: Marine water - Value: 1.9 mg/l

Target: Freshwater sediments - Value: 70.2 mg/kg

Target: Marine water sediments - Value: 7.02 mg/kg

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Soil (agricultural) - Value: 2.74 mg/kg

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

Target: Fresh Water - Value: 4.03 µg/l

Target: Marine water - Value: 0.403 µg/l

Target: Microorganisms in sewage treatments - Value: 1.03 mg/l

Target: Freshwater sediments - Value: 49.9 µg/kg

Target: Marine water sediments - Value: 4.99 µg/kg

Target: Soil (agricultural) - Value: 3 mg/kg

reaction mass of isothiazolinones - CAS: 55965-84-9

Target: Fresh Water - Value: 3.39 µg/l

Target: Marine water - Value: 3.39 µg/l

Target: Microorganisms in sewage treatments - Value: 0.23 µg/l

Target: Freshwater sediments - Value: 0.027 mg/kg

Target: Marine water sediments - Value: 0.027 mg/kg

Target: Soil (agricultural) - Value: 0.01 mg/kg

## 8.2. Exposure controls

Good ventilation is generally sufficient for most operations.

In case of insufficient ventilation use a localized aspiration system.

Personal protective equipment, if adopted, must be CE marked, showing that it complies with applicable standards.

Adopt good working practices. Avoid prolonged or unnecessary contact with the products.

## Individual protection measures

Use in well-ventilated areas. Do not get in eyes and on skin. Follow all reasonable precautionary measures when handling chemicals.

Adopt a correct personal hygiene. Do not consume or store food in the work areas.

Wash hands before smoking or eating.

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Use protective gloves (EN 374)

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	fluid,violet	UNI EN ISO 15528:2003 (3.11+6.7)/UNI EN ISO 1513:1996	--
Odour:	light	--	--
Odour threshold:	Not available	--	--
pH:	8.5 +/- 1 (1:10)	UNI EN 1245:2011	--
Melting point / freezing point:	0 °C	Expert judgement	--
Initial boiling point and boiling range:	100 °C	Expert judgement	--
Flash point:	>100 °C	Expert judgement	--
Evaporation rate:	Not Relevant*	--	--
Solid/gas flammability:	Not Relevant*	--	--
Upper/lower flammability or explosive limits:	Not Relevant*	--	--
Vapour pressure:	Not Relevant*	--	--
Vapour density:	Not Relevant*	--	--
Relative density:	1.01 +/- 0.05 g/cm3	UNI EN ISO 2811-1	--
Solubility in water:	miscible	(1:10) water	--
Solubility in oil:	miscible in glycoethers	Expert judgement	--
Partition coefficient (n-octanol/water):	Not Relevant*	--	--
Auto-ignition temperature:	Not Relevant*	--	--
Decomposition temperature:	Not Relevant*	--	--
Viscosity:	Not available	--	--
Explosive properties:	Not Relevant*	--	--
Oxidizing properties:	Not Relevant*	--	--

\*Data not applicable or not relevant due to the nature of the product and / or on account of its chemical composition.

### 9.2. Other information



Properties	Value	Method:	Notes:
Miscibility:	Not available	--	--
Fat Solubility:	Not available	--	--
Conductivity:	Not available	--	--
Substance Groups relevant properties	Not available	--	--

\*Data not applicable or not relevant due to the nature of the product and / or on account of its chemical composition.

VOC total content: 3-4%

---

## SECTION 10: Stability and reactivity

---

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

None in particular in the normal conditions of use.

### 10.4. Conditions to avoid

The product is stable under normal storage/use conditions.

### 10.5. Incompatible materials

None in particular.

### 10.6. Hazardous decomposition products

May produce toxic and noxious fumes in case of fire.

---

## SECTION 11: Toxicological information

---

### 11.1. Information on toxicological effects

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

#### Further information

The product may cause allergic reactions in sensitive persons.

#### Toxicological information of the product:

##### a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

##### b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

##### c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

##### d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

##### e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

##### f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

chlorocresol - CAS: 59-50-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1830 mg/kg

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 670 mg/kg

Further information

No one in particular.

---

## SECTION 12: Ecological information

---

### 12.1. Toxicity

Adopt sound working practices, so that the product is not released into the environment.

Not classified for environmental hazards

Based on available data, the classification criteria are not met

chlorocresol - CAS: 59-50-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.92 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia > 4.4 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 10 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 8 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss (OECD 203)

Endpoint: EC50 - Species: Daphnia = 15 mg/l - Duration h: 48 - Notes: Daphnia magna (OECD 202)

Endpoint: EC50 - Species: Algae = 0.6 mg/l - Duration h: 72 - Notes: Selenastrum Capricornutum (OECD 201)

### 12.2. Persistence and degradability

None

Not available

### 12.3. Bioaccumulative potential

Not available

### 12.4. Mobility in soil

Not available

### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

### 12.6. Other adverse effects



None

---

## SECTION 13: Disposal considerations

---

### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

## SECTION 14: Transport information

---

### 14.1. UN number

This material is NOT RESTRICTED for transportation (ADR/RID, IMDG, IATA, ICAO).

### 14.2. UN proper shipping name

Not available

### 14.3. Transport hazard class(es)

Not available

### 14.4. Packing group

Not available

### 14.5. Environmental hazards

Not available

### 14.6. Special precautions for user

Not available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

---

## SECTION 15: Regulatory information

---

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/699 (ATP 11 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 40

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Based on information we have, a Chemical Safety Assessment, if expected, has been carried out for the substances in the mixture by the manufacturer or the importer.

## SECTION 16: Other information

Text of phrases referred to under heading 3:

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Acute Tox. 3	3.1/3/Dermal	Acute toxicity (dermal), Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This document was prepared by a competent person who has received appropriate training.

Further information

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

The information given is based on our present knowledge, at the time of sending the data sheet and only serves for describing the product for security reasons, without guaranteeing specific properties.

Due to the various uses of our product and for factors not dependent on us, no responsibility is accepted for the use of this information.

Please keep your records up to date and make this sheet available to all relevant personnel. This safety sheet cancels and substitutes any other previous issue.

Main bibliographic sources:

NIOSH - Registry of toxic effects of chemical substances (1983)

I.N.R.S. - Fiche Toxicologique

ECHA database on registered substances (<http://apps.echa.europa.eu/registered/registered-sub.aspx>)

ECHA Classification and Labelling Inventory ([http://echa.europa.eu/clp/c\\_l\\_inventory\\_en.asp](http://echa.europa.eu/clp/c_l_inventory_en.asp))

GESTIS hazardous substances database of German Berufsgenossenschaften

(<http://www.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Stoffdatenbank/index-2.jsp>)

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.